Ref #	Hits	Hits Search Query DBs Default Operator		Plurals	Time Stamp	
S1	1632	network and request with (identification min) and mobile with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:56
S2	263	(network and request with (identification min) and mobile with device) and internal same external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:57
S3	222			OR	ON	2003/12/05 13:58
S4	31	(((network and request with (identification min) and mobile with device) and internal same external) and display) and confidential\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2003/12/05 14:10
S5	0	@ad<"20000315" and mobile with device with identification with confidential\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:03
S6	6	@ad<"20000315" and mobile with device with identification with (secret confidential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2003/12/05 14:04
S7	5	"lukkaroinen.inv" inget.inv. and nokia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2003/12/05 14:10
S8	2			OR	ON	2006/06/07 14:40
S9	2596	@ad<"20000315" and mobile adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2003/12/05 14:11

		LAST Searc	, , , , , , , , , , , , , , , , , , ,	•		
S10	0	@ad<"20000315" and mobile adj device and request with (identification min) with determine same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:13
S11	0	(security confidentiality) and (@ad<"20000315" and mobile adj device and request with (identification min) with determine same display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:13
S12	0	(security confidentiality) and (@ad<"20000315" and mobile adj device and request with (identification min) with (external network) same display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:17
S13	2	@ad<"20000315" and mobile adj device and request with (identification min) with (external network) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 15:45
S14	18852861	@ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 15:45
S15	3	mobile adj device same display same (show indicate display) with security and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 15:48
S16	10	mobile adj device same display and (show indicate display) with security and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 15:49
S17	62	mobile adj device same display and (show indicate display) with (security access) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 15:59
S18	13	@ad<"20000315" and 713/201. ccls. and mobile adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:04
S19	711	@ad<"20000315" and browser and privacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:05

S20	701	@ad<"20000315" and browser and (privacy security) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:12
S21	141	@ad<"20000315" and browser and information same access same (privacy security) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:17
S22	2	@ad<"20000315" and wap and information with (security privacy) and external same internal same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:20
S23	2	@ad<"20000315" and wap and information with (security privacy) and ((external outside) same (internal inside)) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:22
S24	5	@ad<"20000315" and security adj zone same browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:23
S25	1	"5796942".PN.	USPAT	OR	OFF	2003/12/05 16:25
S26	18852861			OR .	ON	2003/12/06 12:33
S27	1	mobile adj device and protect with identification same min	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 12:35
S28	9	mobile adj device and protect with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 12:37
S29	436	mobile adj device and privacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 12:37

6/7/06 2:40:58 PM C:\Documents and Settings\ANalven\My Documents\EAST\Workspaces\09-525806.wsp Page 3

				F		
S30 .	51	(mobile adj device and privacy) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 12:47
S31	0	wap and privacy same identification and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 12:55
532	10	wap and privacy and identification and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2003/12/06 12:58
S33	43	mobile adj device and spoofing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 13:03
S34	7	(mobile adj device and spoofing) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 12:58
S35	76	mobile adj device and (clone cloning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 13:03
S36	44	(mobile adj device and (clone cloning)) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/06 13:34
S37	14	mobile adj device and server with request with identification and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2003/12/07 12:35
S38	3 18854787 @ad<"20000315"		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 12:36
S39	0	@ad<"20000315" and wap same privacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:04

S40	-54	wap same privacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 12:37
S41	352	wap same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 12:37
S42	15	(wap same security) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 12:39
S43	10	mobile adj device same password and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 12:42
S44	31	mobile adj device same (pin password) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:00
S45	1	"6154751".PN.	USPAT	OR	OFF	2003/12/07 13:02
S46	1	"5991878".PN.	USPAT	OR	OFF	2003/12/07 13:02
S47	1	"5963142".PN.	USPAT	OR	OFF	2003/12/07 13:02
S48	10	mobile adj device same ((enter with pin) password) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:16
S49	0	(mobile adj device same ((enter with pin) password) and @ad<"20000315") not (mobile adj device same password and @ad<"20000315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:03
S50	2	@ad<"20000315" and wap same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:08
S51	5	@ad<"20000315" and wap same pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:12

		LAST Scare	, , , , ,			
S52	0	@ad<"20000315" and mobile adj device same enter same pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:13
S53	. 10	713/202.ccls. and mobile adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:17
S54	1	713/202.ccls. and mobile adj device and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:20
S55	. 33	713/202.ccls. and mobile and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:23
S56	1	713/202.ccls. and wap and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:22
S57	8	713/202.ccls. and wap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:22
S58	4615	pin same mobile and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:27
S59	27	pin same server same mobile and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2003/12/07 13:30
S60	269	pin same mobile and @ad<"20000315" and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:35
S61	. 30	mobile adj phone and pin same server and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:51

S62	63	mobile adj phone and password same server and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 13:44
S63	12	wireless adj applications same (pin password) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:02
S64	2	"6405037".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR '	ON	2003/12/07 14:02
S65	.41	pin same mobile and @ad<"20000315" and privacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:07
S66	254	mobile adj device and web same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:10
S67	39	(mobile adj device and web same password) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:07
S68	504	mobile adj phone and web same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:39
S69	23	(mobile adj phone and web same password) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:10
S70	1	"5794142".PN.	USPAT	OR	OFF	2003/12/07 14:11
S71	1	"5668876".PN.	USPAT	OR	OFF	2003/12/07 14:11
S72	26	"5668876".URPN.	USPAT	OR	ON	2003/12/07 14:30
S73	16	(pin same server same mobile and @ad<"20000315") and @ad<"20000315"	USPAT	OR	ON	2003/12/07 14:35

S74	16	((pin same server same mobile and @ad<"20000315") and @ad<"20000315") and (password pin)	USPAT	OR	ON	2003/12/07 14:35
S75	484	mobile adj phone and application same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:39
S76	59	(mobile adj phone and application same password) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:41
S77	35	wireless adj application and password and security and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:57
S78	432	mobile adj phone and (banking) .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 15:01
S79	76	(mobile adj phone and (banking)) and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:58
S80	26	((mobile adj phone and (banking)) and @ad<"20000315") and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:59
S81	. 29	((mobile adj phone and (banking)) and @ad<"20000315") and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 14:59
S82	1321	mobile adj phone and services and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 15:01
S83	188	mobile adj phone and services and password and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 15:02

			r			
S84	125	mobile adj phone and services and password and @ad<"20000315" and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 15:04
S85	. 77	(mobile adj phone and services and password and @ad<"20000315" and security) and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/07 15:04
S86	1069	713/201.ccls. and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:46
S87	485	713/202.ccls. and @ad<"20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:48
S88	106			OR	ON	2003/12/08 08:48
S89	1	(713/201.ccls. and @ad<"20000315") and (713/202. ccls. and @ad<"20000315") and mobile adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:48
S90	13	((713/201.ccls. and @ad<"20000315") (713/202.ccls. and @ad<"20000315")) and mobile adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:48
S91	2739			OR	ON	2005/04/01 08:14
S92	0	@ad<"20000315" and mobile with device with identification with confidential\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2005/04/01 08:14
S93	369	((network and request with (identification min) and mobile with device) and internal same external) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:14

S94	1	"6334056".pn.	US-PGPUB; USPAT;	OR	ON	2005/07/25 10:58
			USOCR			